DOPTELET

Active ingredient(s): avatrombopag (as maleate)

Consumer Medicine Information

This leaflet provides important information about using DOPTELET. You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using DOPTELET.

Where to find information in this leaflet:

- 1. Why am I using DOPTELET?
- 2. What should I know before I use DOPTELET?
- 3. What if I am taking other medicines?
- 4. How do I use DOPTELET?
- 5. What should I know while using DOPTELET?
- 6. Are there any side effects?
- 7. Product details

1. Why am I using DOPTELET?

DOPTELET contains the active ingredient avatrombopag.

DOPTELET belongs to a group of medicines called thrombopoietin receptor agonists.

DOPTELET is used to treat:

- low platelet count (called thrombocytopenia) in adults with chronic liver disease before having a medical procedure where there is a risk of bleeding.
- adults with low platelet counts due to primary chronic immune thrombocytopenia (ITP) when a prior treatment for ITP (such as

corticosteroids or immunoglobulins) has not worked well enough.

DOPTELET works by helping to increase the number of platelets in the blood. Platelets are blood cells that help the blood to clot and so reduce or prevent bleeding.

2. What should I know before I use DOPTELET?

Warnings

Do not use DOPTELET if:

 you are allergic to avatrombopag, or any of the ingredients listed at the end of this leaflet. Always check the ingredients to make sure you can use this medicine.

Check with your doctor if you:

 are at risk of blood clots in your veins or arteries, or members of your family have had blood clots.