INSTILLAGEL LIDO

Active ingredient(s): Lidocaine hydrochloride (as monohydrate) 2%w/w

Consumer Medicine Information

This leaflet provides important information about using INSTILLAGEL LIDO. You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using INSTILLAGEL LIDO.

Where to find information in this leaflet:

- 1. Why am I using INSTILLAGEL LIDO?
- 2. What should I know before I use INSTILLAGEL LIDO?
- 3. What if I am taking other medicines?
- 4. How do I use INSTILLAGEL LIDO?
- 5. What should I know while using INSTILLAGEL LIDO?
- 6. Are there any side effects?
- 7. Product details

- for instillation (insertion) into the urethra before a catheter is inserted or replaced and for a cystoscopy, when a doctor inserts a tube through the urethra to visualise your bladder.
- for proctoscopy/rectoscopy
 (medical procedures in which an
 instrument called an endoscope
 is used to examine the anal
 cavity or rectum). During this
 procedure, INSTILLAGEL
 LIDO is instilled into the anal
 cavity/rectum and/or the
 instrument used is lubricated
 with INSTILLAGELLIDO
 before insertion

1. Why am I using INSTILLAGEL LIDO?

INSTILLAGEL LIDO contains the active ingredient lidocaine hydrochloride (as monohydrate) 2%w/w which has a local anaesthetic effect and is used to numb the parts of the body the gel is applied to. It stops the nerves from being able to pass pain messages to the brain and so stops you feeling pain.

INSTILLAGEL LIDO is used to relieve discomfort and ease the process during certain types of examinations or procedures.