

Update

Antipsychotic switching tool [Update]

Aust Prescr 2019;42:213

<https://doi.org/10.18773/austprescr.2019.072>

First published 29 October 2019

The online tool by Nicholas Keks et al has been updated. [View updated tool.](#)

The risperidone depot switches to aripiprazole and flupentixol have been updated to include recommendations to start at 25% of the target dose if starting within 3 weeks of the last injection of risperidone. All risperidone depot switches, except the switch to paliperidone, include extra clarification for this recommendation.

The source material used for the tool has also been included.

EDITORIAL OFFICE

For general correspondence such as Letters to the Editor, contact the Editor.

Postal The Editor
Australian Prescriber
 Level 5, 15 Moore Street
 Canberra, ACT 2600

Telephone +61 2 8217 8700

Email info@australianprescriber.com

Website nps.org.au/australian-prescriber

Twitter @AustPrescriber

SUBSCRIPTIONS

Australian Prescriber is published every two months online. All content is accessible free of charge in full text at nps.org.au/australian-prescriber. New drugs are published between issues as they become available.

An email alert can be sent to you when *Australian Prescriber* publishes new material. Subscribe or update your details at nps.org.au/australian-prescriber

For free copies of the Anaphylaxis wallchart and Switching-antidepressants poster, order online at www.nps.org.au/order#for-health-professionals

© 2019 NPS MedicineWise
 ABN 61 082 034 393

NPS MedicineWise Disclaimer

Reasonable care is taken to provide accurate information at the time of creation. This information is not intended as a substitute for medical advice and should not be exclusively relied on to manage or diagnose a medical condition. NPS MedicineWise disclaims all liability (including for negligence) for any loss, damage or injury resulting from reliance on or use of this information.