

## Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid

Active ingredient: Promethazine hydrochloride (PRO-meth-ar-zine HIGH-dro (h)-CLOR-ride)

---

### Consumer Medicine Information

This leaflet provides important information about using Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid.**

Where to find information in this leaflet:

1. Why am I using Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid?
2. What should I know before I use Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid?
3. What if I am taking other medicine?
4. How do I use Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid?
5. What should I know while using Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid?
6. Are there any side effects?
7. Product details

---

1. Why am I using Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid?

---

Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid contains the active ingredient Promethazine hydrochloride. Chemists' Own Children's Antihistamine Promethazine Hydrochloride 1 mg/1 mL oral liquid is an antihistamine used to treat a number of conditions:

- allergies - allergic contact dermatitis, hives, hayfever, bites and stings
- respiratory symptoms due to allergies - runny nose
- nausea and vomiting - motion sickness
- for short-term use for sedation on the advice of a pharmacist or doctor.

Antihistamines help reduce allergic symptoms by preventing the effects of a substance called histamine. Histamine is produced by the body in response to foreign substances that the body is allergic to.